



About us

VetosEurope was founded 8 years ago by combining the expertise and savoir faire of one of the most important families in the world in live cattle trade and the technical and scientific knowledge with a group of scientists and researchers specialized in the research and development of **natural** feed supplements and nature-identical substances for cattle, aimed at increasing production while at the same time reducing **CH**₄ and **CO**₂ emissions.

Our research

Having given their own cattle feed supplements in recent years to a large proportion of the cattle they export around the world either by road or by sea, the **Ghizzoni brothers** decided to sell them all over the world with a view to contributing, among other things, to the reduction of **CO**₂ emissions from cattle.

The success of our product is evidenced by the fact that almost 400,000 cattle have been using it for the last 8 years in a number of countries around the world and is backed up by 20 scientific research projects carried out in laboratories and in the field which have confirmed its performance and its inhibitory characteristics.

Our research into an innovative technology aimed at protecting the environment by using nature has led to the creation of ANAVRIN.

What is ANAVRIN®




ANAVRIN is a blend of essential oils, tannins and bioflovanoids, natural and nature-identical substances which have been carefully selected to support and improve the ruminal function. Essential oils play an important role in the growth cynetics of certain bacteria. Tannins have positive effects on protein metabolism and are anti-inflammatory. Bioflovanoids act as anti-oxidants. By keeping a stable ruminal environment by controlling the growth of bacteria, ANAVRIN improves ruminants' zoo-technical performance.


The loss of energy caused by the natural production of methane during the digestion of starch and fibre is a major economic factor both for dairy farmers and meat producers as well as for the environment.

University studies and field studies have confirmed that ANAVRIN can be one of concrete solution which nutritionists and cattle breeders can use to improve the performance of animals in terms

* Dependent on animal age and health, breed, feed regime, farm condition.

of yield, while reducing the methane emissions responsible for global warming*.





We help nature

In vitro and in vivo research carried out by the **University of Sassari**, the **University of Milan** and the **Federal University of Santa Maria** in **Brazil** have confirmed that the correct use of ANAVRIN can reduce **methane emissions from cattle by between 13% and 20%***.



Increased meat production




+ 200 gr / Head / Day

University studies and field studies have shown that the correct use of ANAVRIN can increase meat production in cattle by 70 grams per day.

MEAT

Field study carried out in conjunction with the company Oltre and supervised by Professor Carlo Sgoifo Rossi of the University of Milan



ANAVRIN, Monensin, or both? Effects on performance and ruminal fermentation in beef cattle

Item	ANAVRIN	MON ¹	ANAVRIN + MON¹
DMI, kg/d	12.3	11.8	11.3
			Performance
Initial BW, kg	447.1	440.9	435.9
Final BW, kg	534.7	519.8	516.3
DG, kg, 60d	1.5	1.3	1.4
FE, kg DMI/kg DG	8.7	9.1	8.9
			Rumen fermentation
рН	6.0	5.8	5.9
VFA, mM	127.3	123.4	119.4
Acetic, mM	67.0	63.6	56.3
Propionic, mM	44.2	42.6	49.7
Butyric, mM	16.2	18.4	14.4
Acetic, %	53.7	50.1	47.4
Propionic, %	33.3	34.9	42.1
Butyric, %	13.0	14.7	11.5
Acetic/Propion	ic 1.7	1.5	1.1
NH ₃ mg/dl	32.8	26.3	22.9

In terms of health conditions, ANAVRIN-supplemented cattle show less morbidity from respiratory diseases and better antioxidant capacity.


Increased milk production

Milk production, L/head/day



University studies and field studies have shown that the correct use of ANAVRIN can increase milk production in cattle by 1.5 litres per day.

AVERAGE MILK PRODUCTION PER WEEK IN THE TWO TEST GROUPS



+ 1.5 | / Head/ Day



Chart from Animals **2022**, 12, 728

Location: Lodi (Italy)

Quantity: 140 dairy cattle

Breed: Holstein


Duration: 100 days

Diet: corn silage, hay, grass, wheat


silage, cornmeal, soy

Control ANAVRIN

DRY MATTER INGESTED PER WEEK



DRY MATTER CONVERSION RATIO



Control

ANAVRIN

Group

	Control	ANAVRIN
Production Performance		
Milk yield, kg/head/day	36.90 ± 0.23	38.30 ± 0.23
Energy-corrected milk, kg/head/day	38.30 ± 0.52	40.2 ± 0.52
Dry matter ingested, kg/head/day	24.70 ± 0.08	24.10 ± 0.08
FCR ²	1.49 ± 0.01	1.58 ± 0.01

² Feed conversion rate

Characteristics of Milk, Month of Study

	1st Month (August)	2nd Month (September) omatic cells, x.00	3rd Month (October)
Control	135.80 ± 3.45	150.09 ± 3.45	144.60 ± 3.45
ANAVRIN	128.22 ± 3.45	141.75 ± 3.45	136.69 ± 3.45

VetosEurope

HEADQUARTERS

Via delle Industrie, 18 6593 Cadenazzo – Switzerland

CONTACTS

P +4191 9106370 E info@vetoseurope.com W vetoseurope.ch



Certified GMP+



Legal notice

Scientific studies and publications relating to our product ANAVRIN should not be construed as claims.

Regulations to use the product vary depending on the local standards applicable in each country. For further information, please contact the Company or distributor.